VOLUME CONTENTS

Volume 33, Number 1

H. Ismail, U. S. Ishiaku, Z. A. M. Ishak and P. K. Freakley	1	The effects of a cationic surfactant (fatty diamine) and a commercial silane coupling agent on the properties of a silica filled natural rubber compound
Dietrich Braun and Susanne Steinhauer-Beißer	7	Initiation of polymerization with substituted ethanes—XV. Telomerization of methacrylate monomers with tetraphenylsuccinonitrile
B. E. Ruiz de Gauna, M. Gaztelumendi and J. Nazabal	13	Development of tough matrix/brittle dispersed phase blends: PSU/SAN blends
K. de la Caba, P. Guerrero, A. Eceiza and I. Mondragon	19	Kinetic and rheological studies of two unsaturated polyester resins cured at different temperatures
Masakazu Yoshikawa and Toshio Kitao	25	Speciality polymeric membranes—VI. Pervaporation separation of benzene/cyclohexane mixtures through nylon 6-graft-poly(ethyl methacrylate) membranes
T. Aouak et A. Petit	33	Copolymérisation d'alcynes monosubstitués amorcée par le système bimétallique $Fe(CH_3CH_2CO_2)$–$AlEt_3$
E. Renard, A. Deratani, G. Volet and B. Sebille	49	Preparation and characterization of water soluble high molecular weight β-cyclodextrin–epichlorohydrin polymers
T. Kaliyappan, C. S. Swaminathan and P. Kannan	59	Studies on poly(2-hydroxy-4-methacryloyloxybenzophenone)-metal complexes
Hitoshi Kubota, Yukari Fukushima and Shin Kuwabara	67	Factors affecting liquid-phase photografting of acrylic acid on cellulose and its derivatives
Z. A. M. Ishak, A. Abu Bakar, U. S. Ishiaku, A. S. Hashim and B. Azahari	73	An investigation of the potential of rice husk ash as a filler for epoxidized natural rubber—II. Fatigue behaviour
Patrícia P. C. Sartoratto, Celso U. Davanzo and I. Valéria P. Yoshida	81	Photooxidation studies on branched polysilanes
P. Radhakrishnan Nair, C. P. Reghunadhan Nair and D. J. Francis	89	Polyurethanes with polybutyl acrylate grafts via macromonomer technique: thermal and mechanical properties
A. Boscolo Boscoletto, R. Franco, M. Scapin and M. Tavan	97	An investigation on rheological and impact behaviour of high density and ultra high molecular weight polyethylene mixtures
J. O. Iroh and Greg A. Wood	107	Effect of electrolytes on the kinetics and mechanism of the electropolymerization of pyrrole on to carbon fibers
Christel Lehtinen and Barbro Löfgren	115	A comparison of $(n\text{-butCp})_2ZrCl_2$ and other simple metallocenes with bridged $Et(Ind)_2ZrCl_2$ and $Me_2Si(Ind)_2ZrCl_2$ catalysts in ethene/propene copolymerization

T. Sato, K. Nakamura and M. Seno 121 Effect of 4-methyl-4-trichloromethyl-2,5-cyclohexadien-1-one on radical polymerization of vinyl monomers

Corrigenda 127

Announcements I

Volume 33, Number 2

P. M. van Berkel, W. L. Driessen, F. J. Parlevliet, J. Reedijk and D. C. Sherrington 129 Metal-uptake behaviour by a novel pyrazole-containing ligand immobilised on to poly(glycidyl methacrylate-*co*-trimethylolpropane trimethacrylate)

J. Couve, R. Dobreva-Schué, J. Sledz, F. Schué et P. Nicol 137 Caractérisation de copolymères styrène–butadiène étoilés par ozonolyse

Li Yang, Frank Heatley, Trevor G. Blease and Robert I. G. Thompson 143 Determination of the oligomer distribution in ethoxylated linear and branched alkanols using ^{13}C-NMR

Ig. C. Poinescu, Maria Barbu, Cristina Vlad and Stela Drăgan 153 Crosslinked copolymers with nitrilic groups

Hiroshi Yamazaki, Akikazu Matsumoto and Takayuki Otsu 157 Effect of *N*-substituents on polymerization reactivity of *N*-alkylitaconimides in radical polymerization

Simon David Cook and Vicki S. Sible 163 Detector response as a function of molecular weight and its effect on size exclusion chromatography molecular weight determination of polymer distributions

Yeong-Soon Gal 169 Synthesis of a polyacetylene derivative carrying a highly bulky substituent: Polymerization of propargyltriphenylphosphonium-tetraphenyl borate by transition metal catalysts

Ignác Capek and J. P. Fouassier 173 Kinetics of photopolymerization of butyl acrylate in direct micelles

Hao Tang, Hanqiao Feng, Lisong Dong and Zhiliu Feng 183 Study on the structure and miscibility of PBPI-E/PTI-E blends

Nicolae Hurduc, Daoudi Abdelylah, Jean-Marc Buisine, Patric Decock and Gheorghe Surpateanu 187 Microwave effects in the synthesis of polyethers by phase transfer catalysis

C. P. Papadopoulou and N. K. Kalfoglou 191 Blends of an amorphous copolyester with poly(butylene terephthalate)

Jale Hacaloglu, Taner Ersen, Nergis Ertugrul, Muhammed M. Fares and Sefik Suzer 199 Pyrolysis mass spectrometric analysis of styrene–butadiene block and random copolymers

R. Solaro, G. Cantoni and E. Chiellini 205 Polymerisability of different lactones and methyl methacrylate in the presence of various organoaluminium catalysts

Graham R. Cutting and Brian J. Tabner 213 Radical concentrations and reaction temperature profiles during the (batch) core–shell emulsion polymerization of methyl methacrylate and butyl acrylate, studied by electron spin resonance spectroscopy

Short Communication
Arunas Usaitis, Sirkka Liisa Maunu and Heikki Tenhu 219 Aggregation of the interpolymer complex of poly(methacrylic acid) and poly(vinyl pyrrolidone) in aqueous solutions

Volume 33, Number 3

H. D. Rozman, R. N. Kumar, H. P. S. Abdul Khalil, A. Abusamah, P. P. Lim and H. Ismail 225 Preparation and properties of oil palm frond composite based on methacrylic silane and glycidyl methacrylate

Po-Hou Sung and Chien-Yang Lin 231 Polysiloxane modified epoxy polymer network—II. Dynamic mechanical behavior of multicomponent graft-IPNs (epoxy/polysiloxane/polypropylene glycol)

Gérard Bauduin, Yves Hervaud, Alexandra Malinova et Aristotel Dimov 235 Influence des constituants et de l'étirement sur des membranes preparées à partir d'un mélange polymère–charge–diluant

Shuichi Maeda, Dean B. Cairns and Steven P. Armes 245 New reactive polyelectrolyte stabilizers for polyaniline colloids

M. Alonso, J. I. Velasco and J. A. de Saja 255 Constrained crystallization and activity of filler in surface modified talc polypropylene composites

N. Pelaprat, G. Rigal et B. Boutevin 263 Fonctionnalisation du polyméthacrylate de méthyle par des groupes phosphonés

Tian-Ming Chen, Yan-Feng Wang, Yu-Jun Li, Masaya Kitamura, Tadao Nakaya and Ikuko Sakurai 273 Synthesis and properties of amphiphilic phospholipid analogous polyacrylamidic gels

Bernard Boutevin, Gérard Rigal, Mohammed El Asri et Tahar Lakhlifi 277 Télomérisation en émulsion du styrène avec les mercaptans

David Stewart, Brian J. Paterson and Corrie T. Imrie 285 Towards supramolecular side-chain liquid crystal polymers—4. Blends of low molar mass mesogens with amorphous polymers

Yu Chen, Zu-En Huang, Rui-Fang Cai, Bo-Cheng Yu, Weiwen Ma, Shiming Chen, Qianfen Shao, Xiaomin Yan, Yuefang Huang, Weishi Huang, Zhensheng Zhang and Haishan Bo 291 Synthesis and characterization of soluble C_{60}–chemically modified poly(vinylbenzylchloride)

M. F. Rey-Stolle, F. Fernández-Martín, L. H. Tagle and I. Hernández-Fuentes 295 The glass transition in poly(carbonates) and poly(thiocarbonates) with chlorophenyl and dichlorophenyl side groups

Hans-Peter Welzel, Gerhard Kossmehl, Gunnar Engelmann and Waldfried Plieth 299 Reactive groups on polymer covered electrodes—3. Electrochemical copolymerization of nitrofunctionalized 3-substituted thiophene derivatives

P. M. van Berkel, S. C. van der Slot, W. L. Driessen, J. Reedijk and D. C. Sherrington 303 Influence of the polymer matrix on the metal-ion uptake characteristics of ligand-modified poly(glycidyl methacrylate-*co*-trimethylopropane trimethacrylate) polymers

Futian Liu, Binglin He, Lijun Liang and Liangbo Feng 311 Studies on the selective reduction of nitroarenes mediated by insoluble resins with viologen structure as electron-transfer catalysts

Yih-Min Sun, Jeng-Yueh Shieh and Chun-Shan Wang 317 Novel copolyesters containing naphthalene structures—III. Poly(alkylene naphthalate terephthalate)

Maria Inez G. de Miranda and Dimitrios Samios 325 Analysis and comparison of the Barrett, Freeman–Carrol and the time-temperature-transformation (TTT) superposition methods: the case of a high T_g diamine/epoxy system

A. Mas, H. Jaaba, F. Schue, A. M. Belu, C. M. Kassis, R. W. Linton et J. M. Desimone 331 Modification de surface de poly(hydroxybutyrate-co-9% hydroxyvalerate) par polymerisation par plasma d'alcool allylique

Paul Starck 339 Dynamic mechanical thermal analysis on Ziegler–Natta and metallocene type ethylene copolymers

A. Marcilla and J. C. García 349 Rheological study of PVC plastisols during gelation and fusion

A. Marcilla and J. C. García 357 Theoretical model for the gelation and fusion mechanisms of PVC plastisols based on rheological measurements

Shyue-Tzoo Lin and Steve K. Huang 365 Thermal degradation study of siloxane–DGEBA epoxy copolymers

Michael Buback, Markus Busch, Thomas Dröge, Frank-Olaf Mähling and Carsten Prellberg 375 Quantitative IR spectroscopic analysis of ethylene–acrylate copolymers

E. R. Nagarajan, N. Rajeswari, R. Nagarathinam and S. Viswanathan 381 Synthesis and characterization of N,N′-ethanedianilinebisisomaleimide and its polymaleamides with some aliphatic diamines

Miriam Lozano, M. Dolores Blanco, Rafael Lozano, Enriqueta Muñiz and José M. Teijón 391 Study of the poly(*N*-vinyl-2-pyrrolidone)–Na_2MoO_4 interactions in aqueous solution: effect on the polymer morphology

R. S. Mauler, F. M. Guaragna, D. L. Gobbi and D. Samios 399 Sonochemical degradation of 1,4-*cis*-polyisoprene using periodic acid-solvent and temperature effect

M. Velikova, L. Minkova, D. Damyanov and S. Rangelov 403 The influence of polymerization conditions on the structure and properties of high molecular weight polyethylene obtained on supported vanadium catalyst system

Short Communications

Zhu Pingping 411 A new criterion of polymer–polymer miscibility detected by viscometry

S. Fetouaki et A. Elharfi 415 Etude de l'extraction d'une resine thermodurcissable utilisée en micro-électronique

Note I

Volume 33, Number 4

Gilbert Friedmann, Yves Guilbert and Jean-Claude Wittmann 419 Dendrimères à structure superficielle aromatique: synthèse, caractérisation, propriétés: mise en évidence d'une structure cristalline

Sreelatha S. Panicker and K. N. Ninan 427 Effect of monomer purity on functionality distribution of ISRO polyol

A. V. Shyichuk	437	Viscosity-average molecular weight changes under crosslinking of macromolecules
K. Shanmugananda Murthy and K. Kishore	441	Kinetics of poly(styrene peroxide) initiated polymerization of methyl methacrylate and styrene
Dong-Ho Lee, Keun-Byoung Yoon, Joon-Ryeo Park and Byung-Hyung Lee	447	Copolymerizations of olefins and dienes with homogeneous and heterogeneous catalysts
M. Beltrán, J. C. García and A. Marcilla	453	Infrared spectral changes in PVC and plasticized PVC during gelation and fusion
E. Štaudner, G. Kyselá, T. Kruppová and Z. Turayová	463	Study of the stability of maleic anhydride-vinyl-acetate copolymers
A. Linares and J. L. Acosta	467	Tensile and dynamic mechanical behaviour of polymer blends based on PVDF
M. A. Fernández-Torroba, J. M. González-Sáiz and C. Pizarro	475	Application of weakly basic copolymer polyacrylamide (acrylamide-co-*N*,*N*,'-dimethylaminoethyl methacrylate) gels in the recovery of citric acid
C. H. Bamford	487	Non-stationary states in radical polymerisation with size-dependent termination: studies by the group-termination procedure—4. The effects of chain-transfer
Milena Bandiera, Andrea Munari and Giovanni Pezzin	497	Rheological characterization of random poly(butylene isophthalate/terephthalate) copolymers
Lisong Dong, Ying Tong, Yuxian An, Hao Tang, Yugang Zhuang and Zhiliu Feng	501	Study of the blends containing core–shell latex polymer
B. B. Troitskii, A. S. Yakhnov, M. A. Novikova, T. G. Ganyukhina and V. N. Denisova	505	Effect of tacticity on thermal degradation of poly(vinyl chloride)
Zdeněk Kruliš and Ivan Fortelný	513	Effect of dynamic crosslinking on rheological properties of molten polypropylene/ethylene–propylene elastomer blends
Hao Tang, Hanqiao Feng, Haobin Luo, Lisong Dong and Zhiliu Feng	519	The aggregation state of polyimide
Saad Moulay and William H. Daly	525	Chemical reactions on redox polymer precursors—II. Aminomethylation and sulfonation
Moriyuki Sato and Seiji Ujiie	531	Synthesis and properties of new side-chain homo- and copolymethacrylates having a cyanobiphenyl unit, aliphatic chains and an interconnecting carbonate linkage
A. S. Badran, M. M. H. Ayoub, M. A. Abd El-Ghaffar, H. E. Naser and A. A. Abd El-Hakim	537	Preparation and characterization of polystyrene and styrene-butyl acrylate copolymer lattices
Gabriela Kyselá and Emil Štaudner	543	Influence of tetramethylthiuram disulfide on polymerizations of styrene and methyl methacrylate—I. Influence on kinetics of polymerization
Enrico Sanjust, Caterina Angius, Nicoletta Curreli, Daniela Grifi, Maria C. Porcu, Andrea C. Rinaldi, Francesca Sollai, Antonio Rescigno and Augusto Rinaldi	549	New mercurated resins for covalent immobilisation
R. Mateva and G. Sirashki	553	Thermal behaviour of the trioxane–phenylglycidyl ether copolymers

Marcos L. Dias, Eloisa B. Mano and Chiaki Azuma 559 Size exclusion behavior of polymers in amide solvents—III. Elution characteristics of acrylic polymers in N,N-dimethylformamide

Chi Hoon Choi, Seon Hee Kim, Eun Young Hong and Byung Kyu Kim 565 Electro-optic properties and wavelength effect in polymer network liquid crystal

J. C. Milano, A. Louakfaoui et J. L. Vernet 571 Polyesters insaturés styréniques à ponts thioéthers: synthèse, étude RMN, caractérisation de la tenue aux chocs et à l'oxydation thermique

Short Communications

Liming Jiang, Yifeng Zhang and Zhiquan Shen 577 A new rare earth coordination catalyst, for polymerization of acrylonitrile

Zou Yousi, Guo Jinquan, Dai Lizhong and Pan Ronghua 579 Statistical group transfer copolymerization of methyl methacrylate with acrylates

S. Srinivasa Reddy and G. Shashidhar 583 Styrene polymerization using titanium-*n*-butoxide-sterically hindered aryloxy derivative of trimethylaluminum catalyst system

Volume 33, Number 5

J. Stehlíček, J. Baldrian, R. Puffr, F. Lednický, J. Dybal and J. Kovářová 587 Nylon 6 with a short rigid central block

A. Marigo, R. Zannetti and F. Milani 595 A small- and wide-angle X-ray scattering study of 1-butene LLDPE obtained by metallocene and Ziegler–Natta catalysis

G. J. Price and T. C. Hunter 599 Polymerization of microemulsions to yield functionalised absorbent membranes

Takanori Hayashi, Shinzaburo Ito, Yoshihiko Onogi, Masahide Yamamoto and Akikazu Matsumoto 607 Thermal stability of nano-structure in polymeric Langmuir–Blodgett films studied by the energy transfer method

L. H. Gan, N. K. Goh, B. Chen, C. K. Chu, G. Roshan Deen and C. H. Chew 615 Copolymers of *N*-acryloyl-*N'*-methylpiperazine and methyl methacrylate: synthesis and its application for Hg(II) detection by anodic stripping voltammetry

M. Rogošić and H. Jasna Mencer 621 Prediction of copolymer miscibility by the viscometric method

M. Teresa S. D. Vasconcelos and Carlos A. R. Gomes 631 Complexation properties of natural and synthetic polymers of environmental and biological interest in presence of copper(II) at neutral pH

M. Rafik, A. Mas, A. Elharfi et F. Schue 641 Dépôt par polymérisation par plasma d'allylamine sur membrane poreuse. Application à la décoloration de solutions sucrées

D. J. T. Hill, J. H. O'Donnell, M. C. S. Perera and P. J. Pomery 649 Polymerisation of diethylene glycol bis-allyl carbonate up to high degrees of conversion

Jinyu Huang, Xiaoqing Li and Qipeng Guo 659 Interpolymer complexes and miscible blends of poly(*p*-vinyl phenol) and poly(ethylene imine)

C. Gousse and A. Gandini 667 Acetalization of polyvinyl alcohol with furfural

Ga-Er Yu, Haydar Altinok, S. Keith Nixon, Colin Booth, Paschalis Alexandridis and T. Alan Hatton 673 Self-association properties of oxyethylene/oxypropylene/oxyethylene triblock copolymer F88

M. Rafik, A. Mas, A. Elharfi et F. Schue 679 Décoloration de solutions sucrées par ultrafiltration sur une membrane a base de poly(organocyclophosphazène)

Y. Grohens, M. Brogly, C. Labbe and J. Schultz 691 Chain flattening of spin-cast PMMA on aluminum mirrors: influence of polymer tacticity

H. J. Choi, T. W. Kim, M. S. Cho, S. G. Kim and M. S. Jhon 699 Electrorheological characterization of polyaniline dispersions

B. Touré, O. Eterradossi, J.-M. Lopez Cuesta, A. Benhassaine et A. Crespy 705 Incorporation d'ophite dans un copolymere éthylene–propylène: influence sur la coloration et le comportement mecanique des composites

A. Martchenko, T. Bremner and K. F. O'Driscoll 713 Catalytic chain transfer in polymerization of acrylamide

A. Mavinkurve, S. Visser, W. van den Broek, F. ter Brugge and A. J. Pennings 719 High molecular weight poly(4-trimethylsilyl-1-buten-3-yne)

Blanca Rojas G., J. G. Fatou, Ma. Carmen Martinez and O. Laguna 725 The characterization of high-density polyethylenes functionalized with diethylmaleate: correlation between FT-IR and ^{13}C NMR data

D. H. S. Ramkumar, M. Bhattacharya and U. R. Vaidya 729 Properties of injection moulded starch/synthetic polymer blends—II. Evaluation of mechanical properties

Hanqiao Feng, Chaohui Ye and Zhiliu Feng 743 The miscibility of homopolymer/random copolymer blends—3. Blends of SAA with polymethacrylates and polyesters

S. C. Ng and K. K. Chee 749 Solubility parameters of copolymers as determined by turbidimetry

A. Marcilla, J. C. García and M. Beltrán 753 Study of the flow properties and the ageing process in PVC plastisols from commercial PVC resins

Wenjun Yang, Jianjun Guan, Weiguo Cui, Shu Ye and Jiacong Shen 761 Enhanced irradiation self-crosslinking and co-crosslinking with nitrile rubber of poly(vinyl chloride) with pendent *N,N*-diethyldithiocarbamate groups

H. Abramovič and C. Klofutar 767 Apparent molal volumes of pectic acid and some tetra-n-alkylammonium salts of pectic acid

M. Zisenis 773 Correlation of molecular orientation and shear viscosity of high molar mass polymers in dilute solution

Tae Oan Ahn, Kibeom Kim, Hyun Mok Park and Han Mo Joeng 781 Miscibility of poly(styrene-*co*-vinylphenol) with poly(styrene-*co*-acrylonitrile)

Short Communication

Won Seok Lyoo, Byoung Chul Kim, Chul Joo Lee and Wan Shik Ha 785 Preparation of high molecular weight polyvinylalcohol by low temperature azoinitiator

Volume 33, Number 6

M. V. Pandya, M. Subramaniam and M. R. Desai	789	Synthesis and characterization of nylon 6 triblock copolymer using new hybrid soft segment
D. Becart, B. Mariette, P.-A. Hoarau et P. Guerin	795	Nouvelles résines vinylesters sans styrène: 1. Synthese et étude de la structure des réseaux
P. N. Lavrenko, I. A. Strelina and B. Schulz	805	Dynamo-optical properties of poly(naphthylene oxadiazole)s in sulphuric acid
H. Iovu, G. Hubca, E. Simionescu, E. Badea and J. S. Hurst	811	Butadiene polymerisation using binary neodymium-based catalyst systems. The effect of catalyst preparation
R. Yoda, M. Shimoda, S. Komatsuzaki, T. Hayashi and T. Nishi	815	Morphology study of poly(γ-benzyl L-glutamate) and polyisoprene block copolymer by pulsed proton NMR
Yu Chen, Wei-Shi Huang, Zu-En Huang, Rui-Fang Cai, Hong-Kun Yu, Shi-Ming Chen and Xiao-Min Yan	823	Synthesis and characterization of a soluble and starlike $C_{60}(CH_3)_x(PAN)_x$ copolymer
Der-Jang Liaw, Ching-Cheng Huang and Yi-Ping Chou	829	Dilute solution properties of poly(3-trimethyl methacrylamido propyl ammonium methylsulfate)
Fuxiang Chu, T. McKenna and Shidu Lu	837	Curing kinetics of an acrylic resin/epoxy resin system using dynamic scanning calorimetry
Kenzo Inoue, Yutaka Sasaki, Tomoyuki Itaya and Teiichi Tanigaki	841	Polymerization of styrenes with pendant aminophosphazenes and fluorescence behaviors of their Eu^{3+} complexes
K. Rosche, C. Decker, G. Israel and J.-P. Fouassier	849	Pigment polymer layers as sensitizers for the photopolymerization of trimethylolpropane triacrylate
G. J. Pratt and M. J. A. Smith	857	Dielectric relaxation spectroscopy of a poly-β-hydroxybutyrate homopolymer
P. N. Sophiamma and K. Sreekumar	863	Poly(methyl methacrylate) supported hydroxamic esters: a new class of acyl transfer reagents
L. Abdellah, M. N. Dinia, B. Boutevin et M. J. M. Abadie	869	Etude de la réactivité de polydiméthylsiloxanes réticulables par photocalorimétrie
T. Buruiana, A. Airinei, E. C. Buruiana and G. Robila	877	Polyurethane cationomers containing anthryl and nitroaromatic chromophores
J. P. Fouassier, V. Lemee, A. Espanet, D. Burget, F. Morlet-Savary, P. Di Battista and G. Li Bassi	881	Structure/properties relationships in photoinitiators of polymerization—9. The behaviour of a new bis α-sulphonyl ketone derivative
Fernanda M. B. Coutinho and José Luiz Luna Xavier	897	Properties of ethylene–propylene copolymers synthesized by a supported Ziegler–Natta catalyst based on $TiCl_4/MgCl_2/PCl_3$
Po-Hou Sung and Chien-Yang Lin	903	Polysiloxane modified epoxy polymer networks—I. Graft interpenetrating polymeric networks
C. Volga, B. Hazer and O. Torul	907	Kinetic study of vinyl polymerization with a new oligo azo peroxidic initiator
Tianxi Liu, Zhishen Mo, Hongfang Zhang, Hui Na and Zhongwen Wu	913	Variation of crystallographic parameters in PEEKK with heat treatment temperature

T. Aouak et A. Petit 919 Etude de la stabilite des polyalcynes monosubstitues prepares en presence du systeme bimetallique $Fe(CH_3CH_2CO_2)_3$–$AlEt_3$

S. Moulay and W. H. Daly 929 Chemical reactions on redox polymer precursors—I. Chloromethylation and lithiation

Sixun Zheng, Wei Zhang and Dezhu Ma 937 Blends of poly(hydroxyether of bisphenol A) (Phenoxy) and poly(ε-caprolactone) (PCL): effect of acetylation degree of hydroxyls in phenoxy on miscibility

M. Yoshida 943 Solution properties of polyvinylpyridine in acid—II. Solution properties of poly(4-vinylpyridine) in aqueous solution of hydrochloric acid

Shanger Wang, Zhishen Mo, Hongfang Zhang, Tianlu Chen and Zhiliu Feng 949 Liquid crystalline polymer as a processing agent in blends of poly(ether-ketone)/LCP70

A. Valenza, G. Geuskens and G. Spadaro 957 Blends of polyamide 6 and linear low density polyethylene functionalized with methacrylic acid derivatives

R. Somashekar, H. Somashekarappa, G. Subramanyan and U. D. Prahllad 963 Effect of acid dye processing on microstructural parameters in silk fibres

A. Cherdoud-Chihani, M. Mouzali et M. J. M. Abadie 969 Étude par DSC de la reticulation de systèmes DGEBA/polyacides

Short Communication

B. Tamami, N. Goudarzian and A. R. Kiasat 977 Polymer supported zinc borohydride as a chemoselective reducing agent for reductive acetylation of aldehydes

Announcement I

Volume 33, Number 7

Review Article

A. V. Voronkov, V. M. Kopylov and I. W. Parsons 979 Furan-containing modified organosilicon polymers: preparation, properties and some applications

Shao-Min Mai, C. Booth and V. M. Nace 991 Specific volumes of poly(oxybutylene) and poly(oxyethylene) dimethyl ethers in the liquid state

Der-Jang Liaw, Been-Yang Liaw and Meng-Yen Tsai 997 Synthesis and properties of polyimides derived from 2,2-bis[4-[2-(4-aminophenoxy)ethoxy]-phenyl]-propane

K. M. Rajkotia, Shipra Baluja and P. H. Parsania 1005 Studies on acoustical properties of poly(4,4′-cyclopentylidene diphenylene toluene-2,4-disulfonate) in different solvents at 30°C

Sue Ryeon Kim, Soon Hong Yuk and Mu Shik Jhon 1009 A semi-interpenetrating network system for a polymer membrane

N. Thuaud, G. Lelièvre, A. Deratani and B. Sebille 1015 Preparation of chiral stationary phases by grafting β-CD derivatives on polyvinylimidazole coated silica

L. Lecamp, B. Youssef et C. Bunel 1021 Polydiméthylsiloxane photoréticulable par voie cationique—II. Nouvelles méthodes de synthèse de silanes porteurs de fonctions hétérocycliques ou oléfiniques

S. Rabiej, B. Ostrowska-Gumkowska and A. Włochowicz	1031	Investigations of the crystallinity of PA-6/SPS blends by X-ray diffraction and DSC methods
Q. Liu, J. R. du Wijn and C. A. van Blitterswijk	1041	Intermolecular complexation between PEG/PBT block copolymer and polyelectrolytes polyacrylic acid and maleic acid copolymer
Bo-Cheng Yu, Yu Chen, Rui-Fang Cai, Zu-En Huang and Yao-Wu Xiao	1049	Synthesis and structural characterization of a novel and starlike $C_{60}(PMS)_x(CH_3)_x$ copolymer
V. V. Nikonenko, K. A. Lebedev, V. I. Zabolotsky, L. Dammak, C. Larchet and B. Auclair	1057	A mathematical model for the bi-ionic potential
Takashi Sasaki and Toshisada Takahashi	1061	X-ray diffuse scattering of poly(vinyl acetate) in the glassy state at low temperatures
V. D. Athawale and S. C. Rathi	1067	Effect of chain length of the alkyl group of alkyl methacrylates on graft polymerization onto starch using ceric ammonium nitrate as initiator
M. Taha and V. Frèrejean	1073	Bulk grafting of monofunctional oligomers on anhydride functionalized polystyrene–hydrogenated polybutadiene–polystyrene triblock copolymers
V. Massardier, P. Moszkowicz and M. Taha	1081	Fly ash stabilization–solidification using polymer–concrete double barrier matrices
A. K. Mohanty, M. Misra and B. Misra	1087	Nucleophilic displacement polymerization of *N,N'*-bis (*p*-chlorobenzylidine) - 4, 4'- diaminodiphenyl methane with sodium sulfide
B. Jańczuk, A. Zdziennicka and W. Wójcik	1093	Relationship between wetting of Teflon by cetyltrimethylammonium bromide solution and adsorption
L. Lalloz, C. Damas, A. Brembilla, R. Clément and P. Lochon	1099	Copolymerization study of 4-vinylpyridine with *N*-dodecylacrylamide
A. S. Hadj-Hamou, A. Habi and S. Djadoun	1105	Blends of poly(isobutyl methacrylate-*co*-acrylic acid) with poly{styrene-*co*-[2-(N,N-dimethyl amino)ethyl methacrylate]} or poly(styrene-*co*-4-vinylpyridine)
Jong-Hyun Ahn, Chang-Kwon Kang and Wang-Cheol Zin	1113	Phase behaviors in blends of poly(vinyl methyl ether) and poly(styrene-co-butadiene)
A. Benouargha, B. Boutevin, G. Caporiccio, E. Essassi, F. Guida-Pietrasanta and A. Ratsimihety	1117	Hybrid silalkylene polysiloxanes: synthesis and thermal properties
M. F. Grenier-Loustalot and C. Sanglar	1125	Prepolymers with propargylic terminal residues—I. Simulation of reaction mechanisms and kinetics on monofunctional models
M. Beltrán and A. Marcilla	1135	Fourier transform infrared spectroscopy applied to the study of PVC decomposition
G. Crini, G. Torri, M. Guerrini, B. Martel, Y. Lekchiri and M. Morcellet	1143	Linear cyclodextrin-poly(vinylamine): synthesis and NMR characterization
M. Camail, H. Essaoudi, A. Margaillan et J. L. Vernet	1153	Synthese et etude physico-chimique de materiaux a finalite thermomecanique specifique

A. Gadoum, B. Gosse and J. P. Gosse 1161 Breakdown strength of impregnated polypropylene films aged under high a.c. fields

D. Messadi et J.-M. Vergnaud 1167 Evolution des profils de concentration dans la matrice d'un disque de PVC plastifié au DOP et trempé dans l'alcool benzylique

Short Communication
L. Webster and M. B. Huglin 1173 Observations on complex formation between polyelectrolytes in dilute aqueous solution

1179 Erratum to: Effect of tacticity on thermal degradation of poly(vinyl chloride) (*Eur. Polym. J.* **33**, 505–511, B. B. Troitskii, L. S. Troitskaya, Yu. A. Kurskii, A. G. Kronman, A. S. Yakhnov, M. A. Novikova, T. G. Ganyukhina and V. N. Denisova

Volume 33, Number 8

P. Aaltonen and B. Löfgren 1187 Functionalization of polyethylenes *via* metallocene/methylaluminoxane catalyst

Takaomi Kobayashi, Toshihiko Nagai, Matsutaro Ono, Hong Ying Wang and Nobuyuki Fujii 1191 Phase inversion process of amphiphilic charged polyacrylonitriles for molecular size exclusion membrane

H. Laita, S. Boufi and A. Gandini 1203 The application of the Diels–Alder reaction to polymers bearing furan moieties. 1. Reactions with maleimides

H. D. Rozman, R. N. Kumar, H. P. S. Abdul Khalil, A. Abusamah, R. Abu and H. Ismail 1213 Fibre activation with glycidyl methacrylate and subsequent copolymerization with diallyl phthalate

C. Damas, S. Baggio, A. Brembilla and P. Lochon 1219 Microstructure study of new amphiphilic copolymers from 3-alkyl-1-vinylimidazolium salts

J. C. Bevington, S. W. Breuer, T. N. Huckerby, B. J. Hunt and R. Jones 1225 Fluorinated derivatives of benzoyl peroxide as initiators of radical polymerizations: study of the end-groups derived from the initiator

H. Ismail, N. Rosnah and H. D. Rozman 1231 Effects of various bonding systems on mechanical properties of oil palm fibre reinforced rubber composites

Jin-Baek Kim, Min-Ho Jung and Kyeong-Ho Chang 1239 A novel water developable photoresist for deep UV lithography

A. R. Shah and P. H. Parsania 1245 Acoustic properties of poly(4,4′-cyclohexylidene-R-R′-diphenylene-3-3′-benzophenone disulfonates) at 30°C

C. I. Simionescu, G. David, B. C. Simionescu and V. Paraschiv 1251 Photochemical polymerization of methacrylic acid in the presence of poly(*N*-acetyliminoethylene) macroinitiators

Masamitsu Shirai, Tomonobu Sumino and Masahiro Tsunooka 1255 Polysiloxane formation at the irradiated surface of polymers containing both photoacid generating units and epoxy units

J. W. Qian, G. R. Qi and R. S. Cheng 1263 Association of ethylene–vinyl acetate copolymer in dilute solutions—I. Solvent, concentration and annealing temperature effect

A. V. Shyichuk	1267	Condition of gel-formation under crosslinking with simultaneous scission of macromolecules
M. Beltrán and A. Marcilla	1271	PVC plastisols decomposition by FT–IR spectroscopy
A. A. S. El-Ejmi and M. B. Huglin	1281	Behaviour of poly(*N*,*N*-dimethylacrylamide-*co*-2-methoxyethylacrylate) in non-aqueous solution and LCST behaviour in water
T. Ruskov, S. Turmanova and G. Kostov	1285	Study of IR and Mössbauer spectroscopy of grafted metal complexes of poly(acrylic acid) on to low density poly(ethylene) and on to poly(tetrafluoroethylene)
B. B. Troitskii and L. S. Troitskaya	1289	Mathematical models of the initial stage of the thermal degradation of poly(vinyl chloride)—IV. Influence of stereoisomery
H. Abramovič and C. Klofutar	1295	Conductivity of some tetra-*n*-alkylammonium salts of pectic acid
M. F. Gozzi and I. V. P. Yoshida	1301	Structural evolution of a poly(methylsilane)/tetraallylsilane mixture into silicon carbide
S. H. de Almeida and Y. Kawano	1307	Ultraviolet–visible spectra of Nafion membrane
Ye. V. Bune, A. I. Barabanova, Yu. S. Bogachev and V. F. Gromov	1313	Copolymerization of acrylamide with various water-soluble monomers
Q. Q. Zhu and W. Schnabel	1325	Cationic polymerization initiated by onium ions
J. C. Milano, S. Mekkid et J. L. Vernet	1333	Synthese de bismaleimides et polybismaleimides a pont siloxanique—reactivite et tenue thermique
A. Chapiro et N. Schmitt	1341	Préparation d'hydrogels par radiolyse de solutions de poly(vinyl-1-imidazole) en présence d'un monomère
D. Benda, J. Šňupárek and V. Čermák	1345	Inverse emulsion polymerization of acrylamide and salts of acrylic acid
D. J. T. Hill, H. J. O'Donnell, M. C. S. Perera and P. J. Pomery	1353	Polymerisation kinetics of allyl monomers at low conversions
K. Subramanian and K. Kishore	1365	Application of polystyrene peroxide as a curative in coating and molding compositions
A. T. Slark and J. O'Kane	1369	Solute diffusion in relation to the glass transition temperature of solute–polymer blends
R. Mateva, O. Delev and S. Rousseva	1377	Structure of poly-ω-dodecalactam obtained in bulk by an anionic mechanism
Hao Tang, Xingang Chen and Yunxia Luo	1383	Studies on the PTC/NTC effect of carbon black filled low density polyethylene composites
M. C. A. Esperidião and F. Galembeck	1387	Precipitation of LDPE–EPDM and LDPE–EVA mixtures from ternary solutions
Short Communications		
M. Luo and J. Xu	1395	Conformational entropy of polymer in spheres

P. P. Lizymol, S. Thomas and M. Jayabalan 1397 Rheological behaviour of binary and ternary blends of poly(vinyl chloride) (PVC), poly(ethylene-co-vinyl acetate) (EVA) and poly(styrene-co-acrylonitrile) (SAN)

Guoxiang Miao, Zili Yu, Qixian Wu and Yongrong Chen 1401 The synthesis of polyphenylene sulfide and bismaleimide copolymer

L. Mrkvičková and N. Radhakrishnan 1403 The SEC estimation of [η]-M relationship for linear poly(dimethylsiloxane) in tetrahydrofuran

Volume 33, Number 9

Tianxi Liu, Zhishen Mo, Shanger Wang and Hongfang Zhang 1405 Isothermal melt and cold crystallization kinetics of poly(aryl ether ether ketone ketone) (PEEKK)

A. Cherdoud-Chihani, M. Mouzali et M. J. M. Abadie 1415 Etude de la réticulation DGEBA-poly(styrène-alt-anhydride maléique) par DSC isotherme

Der-Jang Liaw and Been-Yang Liaw 1423 Synthesis and properties of polyimides derived from 3, 3′, 5, 5′-tetramethyl-bis[4-(4-aminophenoxy)phenyl]sulfone

Marie-Odile Zink, Daniel Colombani and Philippe Chaumont 1433 Chain transfer by addition–fragmentation mechanism—9. Access to diene-functional macromonomers using 5-(substituted)-1,3-pentadiene-type addition–fragmentation chain-transfer agents in radical polymerization

M. Czerwiński, J. Bieleninik, J. Napieralski, I. V. Kityk, J. Kasperczyk and R. I. Mervinskii 1441 Role of heteropolar bonds in OCM-2 oligocarbonatemethacrylate

Yuxian An, Lisong Dong, Peixiang Xing, Yugang Zhuang, Zhishen Mo and Zhiliu Feng 1449 Crystallization kinetics and morphology of poly(β-hydroxybutyrate) and poly(vinyl acetate) blends

Laurence Lecamp, Cecile Vaugelade, Boulos Youssef et Claude Bunel 1453 Polydiméthyl siloxane photoréticulable par voie cationique—I. Synthèse et photoréticulation de polydiméthyl siloxane a greffons époxy norbornène

Cécile Plouvier, Véronique Montembault, Jean-Claude Soutif et Jean-Claude Brosse 1463 Polycondensation du dianhydride de l'acide diéthylène triamine pentaacétique avec une bis-hydroxylamine. Evaluation des propriétés complexantes vis-à-vis des ions métalliques Cu^{2+} et Fe^{3+}

N. Guarrotxena, G. Martínez and J. Millán 1473 Local chain configuration dependence of the mechanisms of analogous reactions of PVC—3. An approach to S_N2 nucleophilic substitution in condensate state

S. Skaria, E. Sreenivasa Rao, S. Ponrathnam, K. K. Kumar and J. G. Shewale 1481 Porous thiiranyl polymers: newer supports for immobilization of penicillin G acylase

S. Thamizharasi, P. Gnanasundaram and B. S. R. Reddy 1487 Copolymerization of 4-acetyl phenylacrylate with methyl methacrylate and butyl methacrylate: synthesis, characterization and reactivity ratios

Mahesh K. Dalal and R. N. Ram 1495 Hydrogenation of 1-hexene using polymer supported Pd(II) complex catalyst

Wen-Fu Lee and Gow-You Hwong 1499 Curing behavior of poly(vinyl chloride)-graft-2-hydroxyethyl methacrylate

Yasumasa Morita, Yasusato Sugahara, Akira Takahashi and Masaru Ibonai 1505 Non-catalytic photo-induced graft copolymerization of methyl methacrylate onto *O*-acetyl-chitin

Iuliana Popa, Hary Offenberg, Camelia Beldie and Constantin V. Uglea 1511 Benzocaine modified maleic anhydride copolymers—I. Synthesis and characterization of benzocaine modified poly(maleic anhydride-*co*-vinyl acetate), poly(maleic anhydride-*co*-methyl methacrylate) and poly(maleic anhydride-*co*-styrene)

Ig. C. Poinescu and Cristina-Doina Vlad 1515 Effect of polymeric porogens on the properties of poly(styrene-*co*-divinylbenzene)

Lijia An, Dayong He, Jiaokai Jing, Zhigang Wang, Donghong Yu, Bingzheng Jiang, Zhenhua Jiang and Rongtang Ma 1523 Effects of molecular weight and interaction parameter on the glass transition temperature of polystyrene mixtures and its blends with polystyrene/poly(2,6-dimethyl-*p*-phenylene oxide)

B. S. Rao 1529 Synthesis and characterization of polyimide–polyoxyethylene copolymers containing carboxylic acid functional groups

Hong-Quan Xie, Min-Hui Cui and Jun-Shi Guo 1537 Some properties and morphology of poly(2-vinyl pyridine)-*g*-polyoxyethylene

G. Čík, L. Szabo, T. Lacko, I. Červeň and N. Pronayová 1543 Influence of γ-radiation on the structure of poly(alkylthiophene)s

Short Communications

Fang Zeng, Zhen Tong and Xiaozhen Yang 1553 Differences in vibrational spectra of poly(*N*-isopropyl acrylamide) from water solution before and after phase separation

A. V. Shyichuk 1557 Gel-point determination in the case of the initial logarithmic-normal distribution

Marcos L. Dias, Maria I. Bruno and Luiz Claudio de Santa Maria 1559 4-Vinylpyridine polymerization with soluble catalysts

Volume 33, Numbers 10–12

Shih-Liang Huang and Juin-Yih Lai 1563 Structure-tensile properties of polyurethanes

M. Baklouti, R. Chaabouni, M. Fontanille, J-J. Villenave et E. Papon 1569 Oligoamides aromatiques diynes téléchéliques: polymérisabilité, thermostabilité et adhésivité

D. Jhurry and A. Deffieux 1577 Sucrose-based polymers: polyurethanes with sucrose in the main chain

Tian-Yi Ke, Ren-Xi Zhuo, Zhen-Rong Lu and Han-Qiao Feng 1583 Phosphorylating polycondensation using phosgene as a chain extender

B. B. Troitskii, L. S. Troitskaya, A. S. Yakhnov, M. A. Lopatin and M. A. Novikova 1587 Retardation of thermal degradation of PMMA and PVC by C_{60}

J. F. Pilichowski, J. Lacoste, J. Mallegol, E. Michel et F. Delor 1591 Modification de polymères par traitement gazeux—I. Polymères alcools, polymères acides

Jiaping Lin, Shuyun Xi, Herong Wu and Shijin Li 1601 Crystallization kinetics of PBA/Nylon 6/H_2SO_4 solutions

H. Jaaba, A. Mas et F. Schué 1607 Modification de surface de poly(hydroxybutyrate-*co*-hydroxyvalerate) par polymérisation par plasma d'allylamine

Tae Kyun Kim, Sang Ouk Kim and In Jae Chung 1613 Crystallization kinetics of thermotropic liquid crystalline poly(ester–imide)s

H. Ismail, H. D. Rozman, R. M. Jaffri and Z. A. Mohd Ishak	1627	Oil palm wood flour reinforced epoxidized natural rubber composites: the effect of filler content and size
Geun Hyung Kim, Chang-Kwon Kang, Cheol Gyu Chang and Dae Woo Ihm	1633	Molecular orientation angle of biaxially stretched poly(ethylene terephthalate) films
N. S. Allen, N. G. Salleh, M. Edge, T. Corrales, M. Shah, F. Catalina and A. Green	1639	Photochemistry and photoinitiator properties of novel 1-chloro-substituted thioxanthones—II. Influence of 4-oxy and 1-phenylthio substitution
A. Champa Jayasuriya, S. Tasaka and N. Inagaki	1645	Drawing and poling effects on dielectric properties of an aromatic polyurethane
E. Corradini, A. Forti Rubira and E. Curti Muniz	1651	Miscibility of PVC/EVA hydrolysed blends by viscosimetric, microscopic and thermal analysis
A. R. Elmes, E. Khoshdel, D. T. Littlewood and C. A. Taylor	1659	Phosphoenolpyruvate-homo- and copolymerization and the application of these polymers as dental anticaries agents
P. Bruni, C. Conti, A. Mar'in, Y. A. Shlyapnikov and G. Tosi	1665	Effect of polymer precipitation on chemical reactions—I. Changes of antioxidant efficiency in the polyethylene melt
I. I. Abu-Abdoun and A. Ledwith	1671	Cationic polymerization photochemically and thermally induced by phenothiazine cation radical salts
M. Bandiera, P. Manaresi, A. Munari, M. C. Borghini and M. Mastragostino	1679	Effect of sodium sulfonate groups on the ionic conductivity of a copolyester of thiodipropionic acid
D. P. Kiryukhin, G. A. Kichigina, P. S. Mozhaev and I. M. Barkalov	1685	Low-temperature copolymerization of hydrogen cyanide with acetaldehyde
M. Rappon, K. Modh Ghazalli and S. Rochanakij	1689	Photo-induced reaction of dye in polymer media—V. Low-temperature photobleaching of Aberchrome 540 in polymer matrices
P. Ghosh and G. Pal	1695	Photopolymerization of methyl methacrylate using pyridinium chlorochromate (PCC) as the photoinitiator
M. Nagata, T. Kiyotsukuri, S. Minami, N. Tsutsumi and W. Sakai	1701	Enzymatic degradation of poly(ethylene terephthalate) copolymers with aliphatic dicarboxylic acids and/or poly(ethylene glycol)
P. Ramachandra, R. Ramani, G. Ramgopal and C. Ranganathaiah	1707	Physical ageing of poly(chlorotrifluoroethylene): a positron annihilation study
E. Buzdugan, P. Ghioca, E. G. Badea, S. Serban and N. Stribeck	1713	Bromination of some styrene–diene block copolymers
M. Marek, E. Brynda, Z. Pientka and J. Schauer	1717	Crosslinked ultra-thin polyimide film as a gas separation layer for composite membranes
R. García, C. M. Gómez, I. Porcar, J. E. Figueruelo and A. Campos	1723	Viscometric study of mixtures of neutral and charged polymers in aqueous solution
A. S. Vasconcellos, J. A. P. Oliveira and R. Baumhardt-Neto	1731	Adhesion of polypropylene treated with nitric and sulfuric acid
S. Palaniappan	1735	Conductivity and spectral studies on heat treated poly(aniline-co-2-chloroaniline) salts

L. M. Carvalho, P. Guegan, H. Cheradame and A. S. Gomes 1741 Synthesis and electrochemical characterization of crosslinked poly(ethylene oxide) containing $LiN(CF_3SO_2)_2$

S. Sakthivel, B. Chandar Shekar, D. Mangalaraj, Sa. K. Narayandass, S. Venkatachalam and P. V. Prabhakaran 1747 Structure, dielectric, AC and DC conduction properties of acid doped polyaniline films

R. Ramani, P. Ramachandra, G. Ramgopal and C. Ranganathaiah 1753 Transport of iodine in poly(ethyleneterephthalate)

C. I. D. Bica, W. Burchard and R. Stadler 1759 Behaviour of modified and unmodified polybutadienes in the semidilute regime

L. Gargallo, D. Dadić and F. Martínez-Piña 1767 Phase separation behaviour of polymers in water. Temperature and surfactant effect

K. Tharanikkarasu, C. Vijitha Thankam and Ganga Radhakrishnan 1771 Tetraphenylethane iniferters—8. Diphenylmethane diisocyanate-based polyurethane iniferter for "living" radical polymerization of methyl methacrylate

K. Tharanikkarasu and Ganga Radhakrishnan 1779 Tetraphenylethane iniferters—9. Diphenylmethane diisocyanate-based polyurethane–polystyrene block copolymers through "living" radical mechanism

Myoung Soo Kim and K. Levon 1787 Crystallization and phase separation of high-density polyethylene in the presence of comb-like polymer, poly(octadecyl acrylate)

P. Kannan and K. Kishore 1799 Polyethylene stibinite phosphate esters: novel flame-retardant plasticizers for PVC

Short Communications

I. Pocsan, S. Serban, G. Hubca, M. Dimonie and H. Iovu 1805 The distribution of sequences in partially hydrolysed polyvinylic alcohol

L. D'Ilario, M. Lucarini, A. Martinelli and A. Piozzi 1809 Poly(*p*-phenylene sulfide) glass transition temperature evidenced by IR spectroscopy

Ma Haizhu, Wu Jianfan and Xu Jianmin 1813 Unperturbed mean-square radius of gyration of atactic polystyrene chain with side groups

Zhu Pingping and Ma Dezhu 1817 Double cold crystallization peaks of poly(ethylene terephthalate)—1. Samples isothermally crystallized at low temperature

D. Braun, H. Elsässer and K. Haimer 1819 Free radical copolymerization of 2,3-diphenyl-1,3-butadiene

I Announcement